


Project Name: _____

Job #: _____


CAPS**ASME B16.9 & ASTM A234 WPB**Source: Import Domestic Approved**DIMENSIONS**

UOM: Inches/LBS

PIPE SIZE	OUTSIDE DIAMETER (O.D.)	INSIDE DIAMETER (I.D.)	WALL THICKNESS (W)	HEIGHT (E)	PIPE SCHEDULE (STD)	APPROX WEIGHT
1/2	0.84	0.622	0.109	1.00	40	0.08
3/4	1.05	0.824	0.113	1.00	40	0.14
1	1.32	1.049	0.133	1.50	40	0.21
1 1/4	1.66	1.380	0.140	1.50	40	0.33
1 1/2	1.90	1.610	0.145	1.50	40	0.54
2	2.38	2.067	0.154	1.50	40	0.80
2 1/2	2.88	2.469	0.203	1.50	40	1.00
3	3.50	3.068	0.216	2.00	40	1.70
3 1/2	4.00	3.548	0.226	2.50	40	2.30
4	4.50	4.026	0.237	2.50	40	2.80
5	5.56	5.047	0.258	3.00	40	4.60
6	6.62	6.065	0.280	3.50	40	6.90
8	8.62	7.981	0.322	4.00	40	11.80
10	10.75	10.020	0.365	5.00	40	20.80
12	12.75	12.000	0.375	6.00	-	30.30
14	14.00	13.250	0.375	6.50	30	36.50
16	16.00	15.250	0.375	7.00	30	43.50
18	18.00	17.250	0.375	8.00	-	57.00
20	20.00	19.250	0.375	9.00	20	75.70
24	24.00	23.250	0.375	10.50	20	101.00
30	30.00	29.250	0.375	10.50	-	137.00
36	36.00	35.250	0.375	10.50	-	175.00
42	42.00	41.250	0.375	12.00	-	229.00
48	48.00	47.250	0.375	13.50	-	350.00

Project Name: _____

Job #: _____


CAPS**ASME B16.9 & ASTM A234 WPB**Source: Import Domestic Approved**DIMENSIONS**

UOM: Inches/LBS

PIPE SIZE	OUTSIDE DIAMETER (O.D.)	INSIDE DIAMETER (I.D.)	WALL THICKNESS (W)	HEIGHT (E)	PIPE SCHEDULE (XS)	APPROX WEIGHT
1/2	0.84	0.546	0.147	1.00	80	0.10
3/4	1.05	0.742	0.154	1.00	80	0.16
1	1.32	0.957	0.179	1.50	80	0.28
1 1/4	1.66	1.278	0.191	1.50	80	0.48
1 1/2	1.90	1.500	0.200	1.50	80	0.67
2	2.38	1.939	0.218	1.50	80	0.92
2 1/2	2.88	2.323	0.276	1.50	80	1.30
3	3.50	2.900	0.300	2.00	80	2.10
3 1/2	4.00	3.364	0.318	2.50	80	3.00
4	4.50	3.826	0.337	2.50	80	3.50
5	5.56	4.813	0.375	3.00	80	5.80
6	6.62	5.761	0.432	3.50	80	9.30
8	8.62	7.625	0.500	4.00	80	16.00
10	10.75	9.750	0.500	5.00	60	26.00
12	12.75	11.750	0.500	6.00	-	38.00
14	14.00	13.000	0.500	6.50	-	47.00
16	16.00	15.000	0.500	7.00	40	57.00
18	18.00	17.000	0.500	8.00	-	78.00
20	20.00	19.000	0.500	9.00	30	100.00
24	24.00	23.000	0.500	10.50	-	145.00
30	30.00	29.000	0.500	10.50	20	634.00
36	36.00	35.000	0.500	10.50	20	913.00
42	42.00	41.000	0.500	12.00	-	1300.00
48	48.00	47.000	0.500	13.50	-	1675.00

Project Name: _____

Job #: _____


CAPS**ASME B16.9 & ASTM A234 WPB**Source: Import Domestic Approved**DIMENSIONS**

UOM: Inches/LBS

PIPE SIZE	OUTSIDE DIAMETER (O.D.)	INSIDE DIAMETER (I.D.)	WALL THICKNESS (W)	HEIGHT (E)	PIPE SCHEDULE (40)	APPROX WEIGHT
1/2	0.84	0.622	0.109	1.00	40	0.08
3/4	1.05	0.824	0.113	1.00	40	0.14
1	1.32	1.054	0.133	1.50	40	0.21
1 1/4	1.66	1.380	0.140	1.50	40	0.33
1 1/2	1.90	1.610	0.145	1.50	40	0.54
2	2.38	2.072	0.154	1.50	40	0.80
2 1/2	2.88	2.474	0.203	1.50	40	1.00
3	3.50	3.068	0.216	2.00	40	1.70
3 1/2	4.00	3.548	0.226	2.50	40	2.30
4	4.50	4.026	0.237	2.50	40	2.80
5	5.56	5.044	0.258	3.00	40	4.60
6	6.62	6.060	0.280	3.50	40	6.90
8	8.62	7.976	0.322	4.00	40	11.80
10	10.75	10.020	0.365	5.00	40	20.80
12	12.75	11.938	0.406	6.00	40	30.30
14	14.00	13.124	0.438	6.50	40	36.50
16	16.00	15.000	0.500	7.00	40	43.50
18	18.00	16.876	0.562	8.00	40	57.00
20	20.00	18.812	0.594	9.00	40	75.70
24	24.00	22.624	0.688	10.50	40	101.00

Project Name: _____

Job #: _____


CAPS**ASME B16.9 & ASTM A234 WPB**
 Source: Import Domestic Approved
DIMENSIONS

UOM: Inches/LBS

PIPE SIZE	OUTSIDE DIAMETER (O.D.)	INSIDE DIAMETER (I.D.)	WALL THICKNESS (W)	HEIGHT (E)	PIPE SCHEDULE (80)	APPROX WEIGHT
1/2	0.84	0.546	0.147	1.00	80	0.10
3/4	1.05	0.742	0.154	1.00	80	0.16
1	1.32	0.962	0.179	1.50	80	0.28
1 1/4	1.66	1.278	0.191	1.50	80	0.48
1 1/2	1.90	1.500	0.200	1.50	80	0.67
2	2.38	1.944	0.218	1.50	80	0.92
2 1/2	2.88	2.328	0.276	1.50	80	1.30
3	3.50	2.900	0.300	2.00	80	2.10
3 1/2	4.00	3.364	0.318	2.50	80	3.00
4	4.50	3.826	0.337	2.50	80	3.50
5	5.56	4.810	0.375	3.00	80	5.80
6	6.62	7.756	0.432	3.50	80	9.30
8	8.62	7.620	0.500	4.00	80	16.00
10	10.75	9.562	0.594	6.00	80	26.00
12	12.75	11.374	0.688	7.00	80	38.00
14	14.00	12.500	0.750	7.50	80	47.00
16	16.00	14.312	0.844	8.00	80	57.00
18	18.00	16.124	0.938	9.00	80	78.00
20	20.00	17.938	1.031	10.00	80	100.00
24	24.00	21.562	1.219	12.00	80	145.00

Project Name: _____

Job #: _____


CAPS**ASME B16.9 & ASTM A234 WPB**Source: Import Domestic Approved**DIMENSIONS**

UOM: Inches/LBS

PIPE SIZE	OUTSIDE DIAMETER (O.D.)	INSIDE DIAMETER (I.D.)	WALL THICKNESS (W)	HEIGHT (E)	PIPE SCHEDULE (160)	APPROX WEIGHT
1/2	0.84	0.464	0.188	1.00	160	0.30
3/4	1.05	0.612	0.219	1.00	160	0.30
1	1.32	0.820	0.250	1.50	160	0.40
1 1/4	1.66	1.160	0.250	1.50	160	0.50
1 1/2	1.90	1.338	0.281	1.50	160	0.60
2	2.38	1.692	0.344	1.75	160	1.30
2 1/2	2.88	2.130	0.375	2.00	160	1.80
3	3.50	2.624	0.438	2.50	160	2.90
4	4.50	3.438	0.531	3.00	160	5.90
5	5.56	4.310	0.625	3.50	160	10.00
6	6.62	5.182	0.719	4.00	160	15.00
8	8.62	6.808	0.906	5.00	160	31.00
10	10.75	8.500	1.125	6.00	160	57.00
12	12.75	10.126	1.312	7.00	160	95.00
14	14.00	11.188	1.406	7.50	160	200.00
16	16.00	12.812	1.594	8.00	160	297.00
18	18.00	14.438	1.781	9.00	160	360.00
20	20.00	16.062	1.969	10.00	160	420.00
24	24.00	19.312	2.344	12.00	160	535.00

Project Name: _____

Job #: _____

CAPS**ASME B16.9 & ASTM A234 WPB**
 Source: Import Domestic Approved
DIMENSIONS

UOM: Inches/LBS

PIPE SIZE	OUTSIDE DIAMETER (O.D.)	INSIDE DIAMETER (I.D.)	WALL THICKNESS (W)	HEIGHT (E)	PIPE SCHEDULE (XXS)	APPROX WEIGHT
1/2	0.84	0.252	0.294	1.00	-	0.50
3/4	1.05	0.434	0.308	1.00	-	0.75
1	1.32	0.604	0.358	1.50	-	1.00
1 1/4	1.66	0.896	0.382	1.50	-	1.50
1 1/2	1.90	1.100	0.400	1.50	-	2.50
2	2.38	1.508	0.436	1.50	-	3.00
2 1/2	2.88	1.776	0.552	1.50	-	4.00
3	3.50	2.300	0.600	2.00	-	6.00
4	4.50	3.152	0.674	2.50	-	9.00
5	5.56	4.060	0.750	3.00	-	13.50
6	6.62	4.892	0.864	3.50	-	18.00
8	8.62	6.870	0.875	4.00	-	26.00
10	10.75	8.750	1.000	6.00	140	46.00
12	12.75	10.750	1.000	7.00	120	68.00